GET ON BOARD with Integrated Water Filtration







NE© GET ON BOARD

with Integrated Water Filtration





THE UNDERCOUNTER DESIGNED TO OVERDELIVER

FILTRATION

Integrated Water Filtration for Superior Ice Quality

- Cleaner, clearer ice
- Optimum machine performance
- Lower maintenance needs

SUSTAINABILITY

Eco-Friendly Innovation for Your Business and Beyond

- ▶ R290 refrigerant
- Energy and water efficient
- Qualified ENERGY STAR® models available

CONVENIENCE

Accessible Design. Effortless to Clean. Simple to Use.

- Streamlined foodzone
- Status and service indicators
- Removable bin and filters

PIONEERING DESIGN AND INNOVATION

With integrated water filtration, the NEO is crafted for quality and built for business. The commitment to sustainability, energy efficiency, low GWP, and ENERGY STAR® certification makes it ideal for those who want the best for their business, customers and the environment.







Power

Delay

TOUCHPAD

Clean

Easy-to-read and use touchpad on/off, delay, clean, filter change, full bin, service indicator.

Filter

Full Bin Service



REMOVABLE BIN

Removable, forward-sliding storage bin allows for easy access to refrigeration components for cleaning and maintenance.



AIRFLOW

Front ventilation is ideal for installation under countertops or next to other equipment.



ONBOARD WATER FILTRATION

Integrated water filtration improves machine efficiency and performance while ensuring cleaner, clearer, and great-tasting ice.



DEPENDABLE. RELIABLE. BUILT TO LAST.

Our customized solutions deliver enduring reliability and performance. With decades of industry experience, our products are designed to withstand the daily demands of food service. This same dependability extends to our robust support network, ensuring consistent service at every stage of your business.

ICE SHAPES



Half-Dice $3/8" \times 11/8" \times 7/8"$ $(.95 \times 2.86 \times 2.22 \text{ cm})$



Dice 7/8" x 7/8" x 7/8" $(2.22 \times 2.22 \times 2.22 \text{ cm})$



Regular 11/8" x 11/8" x 7/8" $(2.86 \times 2.86 \times 2.22 \text{ cm})$

SPECIFICATIONS

	UP140		UP190		UP240		UP310	
Ice Production ¹	150 lbs	68 kgs	200 lbs	90 kgs	235 lbs	106 kgs	330 lbs	150 kgs
Height² with legs	38.5 in	97.79 cm	38.5 in	97.79 cm	38.5 in	97.79 cm	38.5 in	97.79 cm
Width	26 in	66.04 cm	26 in	66.04 cm	26 in	66.04 cm	26 in	66.04 cm
Depth	28 in	71.12 cm	28 in	71.12 cm	28 in	71.12 cm	28 in	71.12 cm
Ice Storage Capacity	90 lbs	40.82 kgs	90 lbs	40 kgs	90 lbs	40 kgs	119 lbs	54 kgs

Pounds produced per day. Approximate ice-making capacity based on air-cooled condenser unit at 70°F/21°C air and 50°F/10°C water. lce machine supplied with 6.00" to 7.25" (15.24 cm to 17.88 cm) adjustable legs. Height listed includes 6.00" (15.24 cm) leg.





manitowocice.com +1 800.545.5720 | +1 (920) 682.0161 FAX +1 (920) 683.7589